





STOVES - INSERTS - FIREPLACES





WOOD STOVES 4-7

WOOD INSERTS 8-11

WOOD FIREPLACES 12-13

TDI3GN TDIX3N

TDS28N TDS60N

GAS FIREPLACES 22-25

TB36NTR TB36NTRE TB42NTR



TSERIES (EPTIFIED



The T-Series are EPA approved wood burning stoves that come complete with a modern cast iron door and pedestal base in a metallic charcoal finish. The T-Series features a kitchen style "Easy Glide" pull out ash drawer with a removable ash pan and lid. The "Secure Lock" lever action door handle (with a removable handle shield) remains in a convenient up position when the door is open, making cleaning and refueling safe and easy. The T-Series is the perfect solution for those wanting wood burning technology with a clean, contemporary look.

T20

UP TO **65,000** BTU'S

1.9 CU. FT. FIREBOX CAPACITY

BURN TIME: 8 HOURS

Weighted Average Emissions Rate:

2.25 g/hr

Weighted Average Overall Efficiency:

72%

LOG SIZE:

FLU SIZE:

T25

UP TO **70,000** BTU'S

2.51 CU. FT. FIREBOX CAPACITY

BURN TIME: 16 HOURS

Weighted Average Emissions Rate:

1.3 g/hr

Weighted Average Overall Efficiency: 76.99%

LOG SIZE: 23"

FLU SIZE:

Tested to 2020 cord wood requirements

Hidden hinges and extra large glass viewing area


Contemporary wood stove complete with contemporary cast door and cast pedestal base

Precision "Easy Glide" ash drawer with removable ash pan complete with lid for convenient and easy disposal

Heavy duty 5/16" firebox top

Ceramic fiber baffle system













A NEW WOLF AT THE DOOR



T201



Clean and contemporary insert with extremely long burn times ensure you can watch the fire for pleasure instead of babysitting the fire for reloading. An included blower kit quietly circulates heat throughout the space.

Tested to 2020 cord wood requirements

Hidden hinges and extra large glass viewing area

Minimum fireplace opening: 25 7/8"w x 22"h x 14"d



Dual blower system included

UP TO **65,000** BTU'S

1.9 CU. FT. FIREBOX CAPACITY

BURN TIME: 8 HOURS

Weighted Average Emissions Rate: 2.25 g/hr

Weighted Average Overall Efficiency: 72%

LOG SIZE:

FLU SIZE:



T251



A clean burning technology with low emissions and high efficiency, ensuring comfort and peace of mind. A contemporary look blends in to any decor, and cast construction ensures reliability for years to come.

Tested to 2020 cord wood requirements

Painted black cast iron door included

Conveniently located air control lever

Choose from 2 sizes of backer plates for installation versatility



Blower included

Weighted Average Overall Efficiency: 76.99%

Weighted Average Emissions Rate:

1.3 g/hr

UP TO **70,000** BTU'S

2.51 CU. FT. FIREBOX CAPACITY

LOG SIZE:

FLU SIZE: 23"







Traditional Model

TPI3-1



The TPI3-1 will match any décor whether it be traditional or contemporary. Four stainless steel secondary air tubes supercharge the fuel burning process. A log retainer and a heat circulating blower,

make it a perfect solution for your home or cottage.

Tested to 2020 cord wood requirements

Contemporary or Traditional Fireplace Insert

Largest Ceramic Glass Viewing Area in the Industry

Minimum fireplace opening: 28"w x 22"h x 16"d

Full Refractory Lined Firebox

Effective Airwash





Removable Log Retainer Painted Black Finish

UP TO **55,000** BTU'S

1.8 CU. FT. FIREBOX CAPACITY

BURN TIME: 8 HOURS

Weighted Average Emissions Rate: 1.21 g/hr

Weighted Average Overall Efficiency: 71.6%

LOG SIZE: 18"

FLU SIZE:





TZ3000H (EPPA)



The TZ3000H has a catalytic combustor, yes, just like your car. This fireplace has lower emissions and burns up to 25% longer than it's predecessors.

Tested to 2020 cord wood requirements

New Catalyst Added

Digital Catalyst Temperature Monitor

Advanced Airwash System

Cast Iron Bypass Door and

Cast Iron Front Doors

Black Andirons



UP TO **60,000** BTU'S

2.3 CU. FT. FIREBOX CAPACITY

BURN TIME: 17 HOURS

Weighted Average Emissions Rate:

1.38 g/hr

Weighted Average Overall Efficiency: 67.9%

FLUE SIZE: 7"



Wrought Iron Surround



Black Surround with Modern Inset

TDI3N

UP TO **24,500** BTU'S

Simple and robust millivolt

Premium clean face safety

Riser Box and Cast Iron

Vent Size: 2 - 3" Liners

Surround available

barrier maximizes viewing area

control system

A clean face design, flush finish accessories and endless design opportunities make this perfect for smaller living spaces. The TDI3N is great for home owners who want the cost saving benefits of Zone Heating plus the benefit of replacing an old drafty masonry fireplace with an efficient heating source.

Faceplates available in both 2 -1/2" or 5" widths

Directional baffles increase air flow for maximum blower efficiency

Wide range of media kits, brick panels and porcelain panels available

High Performance "H" Style **Burner Provides Complete** Firebox Width Flame Display

Clean Face Design And Flush Finish Accessories





Old Town Red



Porcelain Panels



Beautifully realistic Split Oak logset included



Superior heat circulating blower available





TDI3GN

UP TO **24,000** BTU'S 340 sq.in.



The TDI3GN is the perfect solution for an economical heating source complemented with the modern elegance of a sparkling Topaz CRYSTALINE™ ember bed. A multitude of decorative designer accessories are also available to match any room in your home. Heating smarter and saving energy doesn't have to mean compromising great design.

Sparkling Topaz Crystaline™ Ember Bed

Clean Face Design And Flush Finish Accessories

SIT Proflame II Electronic Ignition

Clean Face Design And Flush Finish Accessories

Directional baffles increase air flow for maximum blower efficiency

Clean contemporary faceplates and backerplates available

MIRRO-FLAME™ Porcelain Reflective Radiant Panels available

Vent Size: 2 - 3" Liners







eFire Enabled App

TDIX3N

A deluxe Gas Fireplace Insert which offers a thermostatic remote, an exclusive NIGHT LIGHT™ that radiates a warm glow throughout the room. Directional baffles increase air flow to help drive the heat into your home for maximum efficiency. The perfect solution for replacing and updating an inefficient old masonry setting. eFIRE Bluetooth technology included for your added convenience.

UP TO 30,000 BTU'S

340 sq.in. VIEWING AREA

High Performance "H" Style Burner Provides Complete Firebox Width Flame Display

Clean Face Design And Flush Finish Accessories

SIT Proflame II Electronic Ignition

Exclusive NIGHT LIGHT™ included

Premium clean face safety barrier maximizes viewing area

Directional baffles increase air flow for maximum blower efficiency

Clean contemporary faceplates and backerplates available

Wide range of media kits, brick panels and porcelain panels available

Superior heat circulating blower available

Optional Faceplates 2.5" And 5" Widths In 3-Sided Or 4-Sided Configurations

Vent Size: 2 - 3" Liners





Westminste



Old Town Red



Newpo



Includes Porcelain Panels



Standard Oak log set



eFire Enabled App



Proflame II Remote



TDS20N

The TDS20N cast iron gas stove, with its slender, space saving design and 45° venting, is perfect for smaller rooms. The unit is available in metallic black or a porcelain enamel majolica brown finishes.



Heat Radiating Ceramic Glass

No Electricity Required

Flame/heat adjustment for maximum comfort and efficiency

PHAZERMATIC™ **Burner System**

Safety Screen Included

Realistic, Ceramic Fiber, Light-Weight Molded PHAZER® Log Set and brightly glowing ember bed that can be viewed through the European styled ceramic glass viewing area.

Equipped with 100% SAFE GUARD™ gas control system for your peace of mind

MIRROR-FLAME™ Porcelain Reflective Radiant Rear Panel

Flue Size: 4"/7"







Remote Control Options

TDS60N

The TDS60N features cast iron design, solid performance and impressive heating efficiencies. Its fine detailing and elegant cast iron design is a perfect complement to any home.

UP TO 35,000 BTU'S

Heat Radiating Ceramic Glass

No Electricity Required

Flame/heat adjustment for maximum comfort and efficiency

YELLOW DANCING FLAMES®

Safety Screen Included

Compact, easily accessible and user-friendly controls

Equipped with 100% SAFE GUARD™ gas control system for your peace of mind

Larger viewing area with its new updated design

Flue Size: 4"/7"







Remote Control Options







TDS28N

If you have limited space but still desire the beauty and convenience of a gas stove... The TDS28N is the answer! Offering many options and a variable heat range as high as 30,000 BTU's, this stove may be compact in stature, but not in power!



UP TO 30,000 BTU'S

Heat Radiating Ceramic Glass

No Electricity Required

Flame/heat adjustment for maximum comfort and efficiency

YELLOW DANCING FLAMES®

Safety Screen Included Built-in blower extracts maximum heat from the extra large heat exchanger

Compact, easily accessible and user-friendly controls

Built-in blower extracts maximum heat from the extra large heat exchanger

Equipped with 100% SAFE GUARD™ gas control system for your peace of

Flue Size: 4"/7"







TDS50N

This sophisticated gas stove comes complete with a built-in blower, extra large heat exchanger, easily accessible control panel and an advanced high tech, triple burner effect with a "furnace" type 14,000 BTU burner behind the logs.

44,000 BTU'S

Heat Radiating Ceramic Glass

Advanced, Triple-Burner

Back-Up Control System

Safety Screen Included

Turbo Boost Burner

Blower Included

Piezo Ignitor

Flue Size: 4"/7"



PHAZER® Log Set







Remote Controls



Ambient - Glow Embers



3 Stain Chrome Door



3 Metallic Black Door









Ш 4 ۵ 2 S 4 9

TB36NTR/TB36NTRE

The TB36NTR is so versatile it can be installed almost anywhere! The shallow depth, at less than 16", allows for installations where space is limited. The clean face design maximizes the viewing area.





UP TO 18,000 BTU'S

Exclusive PHAZER™ Log Set and Glowing Ember Bed

Pan Style Burner

Millivolt or Electronic ignition systems available

Back-up control system ensures reliable use, even during power failures

Clean face design with no louvers

Optional MIRROFLAME™ Porcelain Reflective Radiant **Panels**


Optional blower kit

Optional media enhancement kits include Beach Fire, Shore Fire and Mineral Rocks

Vent Size: 4"/7"









Clean Face Front

Wrought Iron Front



PHAZER® Log Set



Includes Porcelain Panels

FIMBERWOLF

TB42NTR/TB42NTRE

The TB42NTR Gas Fireplace offers a multitude of options with decorative safety barriers, surrounds, trims, decorative brick panels. The TB42NTR can be designed to your personal taste and can match any home décor.





UP TO 18,000 BTU'S

Exclusive PHAZER™ Log Set and Glowing Ember Bed

Pan Style Burner

Millivolt or Electronic ignition systems available

Back-up control system ensures reliable use, even during power failures

Clean face design with no louvers

Optional MIRROFLAME™ Porcelain Reflective Radiant Panels

Optional blower kit

Optional media enhancement kits include Beach Fire, Shore Fire and Mineral Rocks

Optional decorative fronts or 2" trim kit

Vent Size: 4"/7"









Wrought Iron Front











2020 EPA Certified Wood Burning Stove

T20

Fuel Type: Wood

Product Height (in): 34 1/4

Product Depth (in): 24 1/2

Glass / Viewing Height (in): 9 3/4

Glass / Viewing Width (in): 15 5/8

Heating Space (sq.ft): 800-1800

Warranty: President Limited Lifetime

Total MAX (BTU): 65,000

Product Width (in): 26

WOOD STOVES

WOOD INSERTS

WOOD FIREPLACES

Z3000H

GAS INSERTS

T25

2020 EPA Certified Wood Burning Stove

Fuel Type: Wood

Product Height (in): 37 1/2"

Product Width (in): 28 3/4"

Product Depth (in): 27"

Glass / Viewing Height (in) 10 7/8"

Glass / Viewing Width (in) 18 1/2"

Heating Space (sq.ft): up to 2100 sq. ft.

Total MAX (BTU): 70,000

Warranty: President Limited Lifetime

2020 EPA Certified Wood Burning Insert

T20i

Fuel Type: Wood

Minimum Fireplace Opening: 25 7 /8"w x 22"h x 14"d

Product Height (in): 30 With Surround

Product Width (in): 41 With Surround

Product Depth (in): 26 1/2


Glass / Viewing Height (in): 9 3/4


Glass / Viewing Width (in): 15 5/8


Heating Space (sq.ft): 800-1800


Total MAX (BTU): 65,000

Warranty: President Limited Lifetime









S

Z

O

4

T25i

2020 EPA Certified Wood Burning Insert

Fuel Type: Wood

Minimum Fireplace Opening: 31"w x 23 1/2"h x 15 1/2"d

Product Height (in): (See Chart Below) With Surround

Product Width (in) (See Chart Below) With Surround

Product Depth (in): 26


Glass / Viewing Height (in): 10 7/8


Glass / Viewing Width (in): 18 1/2

Heating Space (sq.ft): Up to 2100

Total MAX (BTU): 70,000

Warranty: President Limited Lifetime





Backer Plate	Α	В
SBP25I3348	48"	33"
(Large)	(1219mm)	(838mm)
SBP25l3041	41"	30"
(Standard)	(1041mm)	(762mm)

TI3T-1 TRADITIONAL MODEL SHOWN

TI3C-1

2020 EPA Certified Wood Burning Insert

Fuel Type: Wood

Minimum Fireplace Opening: 28" w x 22"h x 16"d Contemporary Series

Minimum Fireplace Opening: 28" w x 22"h x 18"d Traditional Series

Product Height (in): C-Model 29.5 With Surround

Product Width (in): C-Model 42 1/2 With Surround

Product Height (in): T-Model 29.5 With Surround


Product Width (in): T-Model 42 15/16 With Surround


Product Depth (in): 17 15/16


Glass / Viewing Height (in): 12 11/16

Glass / Viewing Width (in) 23 15/16

Heating Space (sq.ft): 1500 Total MAX (BTU) 55,000







TZ3000H

WOOD FIREPLACE

EPA Certified 2020 Wood Fireplace

Fuel Type: Wood

Product Height (in): 43 1/8

Product Width (in): 42

Product Depth (in): 29 1/4


Glass / Viewing Height (in): 17


Glass / Viewing Width (in): 12 1/2


Heating Space (sq.ft): Up to 3,000 sq. ft.

Total MAX (BTU): 60,000

Warranty: President Limited Lifetime







TDI3N

Gas Fireplace Insert

Fuel Type: Natural Gas

Minimum Fireplace Opening: 29"w x 21 1/2"h x 14 3/8"d

Product Height (in): 20 15/16

Product Width (in): 28 5/8

Product Depth (in): 14 3/8

Glass / Viewing Height (in): 15

Glass / Viewing Width (in): 22 11/16

Total MAX (BTU): 24,500

Mobile Home Certified: Yes

Warranty: President Limited Lifetime

TDI3GN

Direct Vent Gas Insert With Glass Ember Bed

Fuel Type: Natural Gas

Minimum Fireplace Opening: 29"w x 21 1/2"h x 14 3/8"d

Product Height (in): 20 15/16

Product Width (in): 28 5/8

Product Depth (in): 14 3/8

Glass / Viewing Height (in): 15

Glass / Viewing Width (in): 22 11/16

Total MAX (BTU): 24,000

Mobile Home Certified: Yes

Warranty: President Limited Lifetime

TDIX3N

Gas Direct Vent Insert

Fuel Type: Natural Gas

Minimum Fireplace Opening: 29"w x 21 1/2"h x 14 3/8"d

Product Height (in): 20 15/16

Product Width (in): 28 5/8

Product Depth (in): 14 3/8


Glass / Viewing Height (in): 15

Glass / Viewing Width (in): 22 11/16

Total MAX (BTU): 30,000

Mobile Home Certified: Yes

Warranty: President Limited Lifetime



Ref.	TDI3N	TDI3GN	TDIX3N
Α	13 7/16" [341mm]	13 13/16" [376mm]	
В	7 1/2" [190mm]	6 7/8" [175mm]	

^{*} Dimension with optional blower kit installed.

Z

TDS50N

Gas Direct Vent Stove

Fuel Type: Natural Gas

Product Height (in): 30 3/4

Product Width (in): 28 1/4

Product Depth (in): 21 5/8

Glass / Viewing Height (in): 12 5/8

Glass / Viewing Width (in): 22 1/2

Total MAX (BTU): 44,000

Warranty: President Limited Lifetime

TDS28N

Gas Direct Vent Stove

Fuel Type: Natural Gas

Product Height (in): 26 3/4

Product Width (in): 22 1/2

Product Depth (in): 18 1/2

Glass / Viewing Height (in): 11 3/8

Glass / Viewing Width (in): 24 1/2

Total MAX (BTU): 30,000

Warranty: President Limited Lifetime

TDS60N

Cast Iron Gas Direct Vetn Stove

Fuel Type: Natural Gas

Product Height (in): 37

Product Width (in): 27

Product Depth (in): 19 1/2

Glass / Viewing Height (in): 18 3/4

Glass / Viewing Width (in): 21

Total MAX (BTU): 35,000

Warranty: President Limited Lifetime

TDS20N

Cast Iron Gas Direct Vent Stove

Fuel Type: Natural Gas

Product Height (in): 25 3/8

Product Width (in): 19 1/4

Product Depth (in): 18 1/2

Glass / Viewing Height (in): 13

Glass / Viewing Width (in): 14

Total MAX (BTU): 20,000

Warranty: President Limited Lifetime

TB36NTR TB36NTRE

Gas Direct Vent Fireplaces

Fuel Type: Natural Gas

Product Height (in): 34 5/8

Product Width (in): 35

Product Depth (in): 15 3/4

Glass / Viewing Height (in): 23.69

Glass / Viewing Width (in): 30 1/2

Total MAX (BTU): 18,000

Mobile Home approved: Yes (check local codes)

Warranty: President Limited Lifetime

TOP VIEW

Gas Direct Vent Fireplaces

TB42NTR TB42NTRE

Fuel Type: Natural Gas

Product Height (in): 34 5/8

Product Width (in): 42

Product Depth (in): 18 15/16

Glass / Viewing Height (in): 23.69


Glass / Viewing Width (in): 37.69

Total MAX (BTU): 22,000


Mobile Home approved: Yes (check local codes)

Warranty: President Limited Lifetime


TOP VIEW





[610mm]
















28 1/4" [718mm] -

